

T.I. no.: 2024-04 Updated: -	Topic: Software V5.18.5 Release Notes
---------------------------------	---------------------------------------

<b>Date:</b> 21/02/2024	<b>Priority and need for action</b> <input type="checkbox"/> High: as soon as possible <input checked="" type="checkbox"/> Medium: on next visit to the machine <input type="checkbox"/> Low: FYI only
<b>Affected machines:</b> SOUL, SOUL C, SKYE	
<b>From serial number:</b> -	
<b>Start date:</b> immediately	

## INFORMATION ON SOFTWARE UPDATE

New functions have been added and errors eliminated with software update V5.18.5. The platform software optimises and replaces software version V5.12.5.

### Overview of the most important new functions

- The powder system components can be checked in the component test.
- The milk system components can be checked in the component test.
- The water/waste water components can be checked in the component test.
- The **ProCare** components can be checked in the component test.
- The cooling unit/scale can be checked in the component test.
- Breadcrumbs can also be displayed in the **Place cup** screen.
- The **Confirm your selection** screen is no longer displayed in guest mode without a payment system.
- **Component test clean-up:** A scroll bar is displayed in the Actor/Sensor area if the list of components is too long.
- **Component test clean-up:** V07 is displayed for no-steam configurations.
- The cleaning schedule can be reset to default with the **Reset** button.
- Descaling can be carried out with the **ProCare** system.
- The **ProCare pouch inserted** process has been revised.
- The new cleaning schedule is also activated on machines without **ProCare**.
- The 30 g brewing unit can now be simulated.
- The **ProCare** cleaning bag is also refilled after every use for descaling.
- SOUL C: Simulations have been extended to include grinding level motors.
- SOUL C: The **Campaign management** telemetry command had been integrated.
- SOUL C: **Campaign management:** The operator is informed with a pop-up in the event of an error.
- SOUL C: Campaign deployment has been extended to include error codes to enable more precise error analysis.
- SOUL C: If **system adjustment actions** are activated, the assistant is started directly and each step is processed one right after the other.
- SOUL C: Automatic grinder calibration has been adjusted according to feedback from the lab tests.
- SOUL C: **System adjustment actions:** The grinder setting assistant has been automated.
- SKYE: The flow meter type is defined based on the water pump type.

## Corrections/Troubleshooting

- The cleaning assistant no longer stops if the grounds container is removed during cleaning.
- The SCA3 software is blocked from starting when the component test has started.
- Freezing of the screen due to undefined states when products are completed and simultaneously cancelled has been fixed.
- Incorrect text display when replacing the ProCare BLUE/RED cleaning bag has been fixed.
- The error concerning the machine no longer being operable when the ProCare cleaning bag is reinserted has been fixed.
- The final cleaning steps can be completed when **Switch off after cleaning** is activated.
- **Switch off after cleaning** works in any case.
- False positive flow meter errors have been eliminated.
- In staff mode, the button for cancelling the beverage is greyed out after being pressed.
- SOUL C: The automatic mill calibration function now calculates the value correctly.
- SOUL C: The HCU simulation now also works for 5.16.1.